

Run Statistics by Week in FY2007

Faults														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Sum
Run 06-3	1	3	0	0	3	1	5	0	1	0	3			17
Run 07-1	2	1	0	1	0	1	0	5	1	1	1			13
Run 07-2	0	0	3	1	5	1	2	1	2	0	2	2		19
														49
MTBF														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 06-3	162.6	46.6	120.0	145.0	46.7	119.1	35.9	96.0	143.6	144.0	51.2			90.8
Run 07-1	83.3	143.4	120.0	141.0	144.0	116.4	144.0	27.2	118.6	142.5	142.5			116.5
Run 07-2	144.0	144.0	38.9	141.5	32.5	117.9	57.5	138.7	68.3	143.5	71.2	95.1		89.1
Average	130.0	111.3	93.0	142.5	74.4	117.8	79.1	87.3	110.2	143.3	88.3			98.8
Availability														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 06-3	96.8%	97.0%	100.0%	100.0%	97.3%	99.3%	97.7%	100.0%	99.7%	100.0%	95.9%			98.4%
Run 07-1	99.1%	99.6%	100.0%	97.9%	100.0%	97.8%	100.0%	94.3%	98.9%	99.0%	98.9%			98.7%
Run 07-2	100.0%	100.0%	97.3%	98.3%	96.6%	98.2%	95.8%	96.3%	94.8%	99.6%	98.9%	99.1%		98.0%
Average	98.6%	98.9%	99.1%	98.7%	98.0%	98.4%	97.8%	96.9%	97.8%	99.5%	97.9%	99.1%		98.3%
Injector	Availability													
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 06-3	91.0%	99.0%	97.4%	95.1%	100.0%	100.0%	98.2%	99.9%	100.0%	100.0%	100.0%			98.2%
Run 07-1	98.5%	98.1%	100.0%	98.4%	100.0%	100.0%	100.0%	100.0%	100.0%	97.2%	99.8%			99.3%
Run 07-2	99.5%	95.4%	97.8%	99.7%	100.0%	100.0%	100.0%	98.8%	98.6%	99.2%	100.0%	100.0%		99.1%
Average	96.4%	97.5%	98.4%	97.7%	100.0%	100.0%	99.4%	99.5%	99.5%	98.8%	99.9%	100.0%		98.9%

Yellow shaded areas indicated weeks in which operational goals of 97% availability and/or 50 hours MTBF were met

Statistics through

August 24, 2007